

CMPS 6610/4610 – Fall 2016

Matrix-chain multiplication

Carola Wenk

Matrix-chain multiplication

Given: A sequence/chain of n matrices

A_1, A_2, \dots, A_n , where A_i is a $p_{i-1} \times p_i$ matrix

Task: Compute their product $A_1 \cdot A_2 \cdot \dots \cdot A_n$
using the minimum number of scalar
multiplications.

Matrix-chain multiplication example

Example: $n=3$, $p_0=3$, $p_1=20$, $p_2=5$, $p_3=8$. A_1 is a 3×20 matrix, A_2 is a 20×5 matrix, A_3 is a 5×2 matrix. Compute $A_1 \cdot A_2 \cdot A_3$.

$$p_0=3 \left\{ \underbrace{\boxed{A_1}}_{p_1=20} \right. \cdot \left. \underbrace{\boxed{A_2}}_{p_2=5} \right\}^{20} \cdot \underbrace{\boxed{A_3}}_{p_3=8} \Big\}^5$$

Matrix-chain multiplication example (continued)

$$p_0=3 \left\{ \underbrace{\boxed{A_1}}_{p_1=20} \right. \cdot \left. \begin{array}{c} A_2 \\ \left. \vphantom{A_2} \right\} 20 \cdot \underbrace{\boxed{A_3}}_{p_3=8} \end{array} \right\} 5$$

The diagram shows the expression $p_0=3 \{ \underbrace{\boxed{A_1}}_{p_1=20} \cdot \underbrace{\boxed{A_2}}_{p_2=5} \cdot \underbrace{\boxed{A_3}}_{p_3=8} \} 5$. The matrices A_1 , A_2 , and A_3 are represented by boxes. Braces indicate dimensions: $p_1=20$ under A_1 , $p_2=5$ under A_2 , and $p_3=8$ under A_3 . The overall dimensions of the product are 3×5 .

- Computing $A_1 \cdot A_2$ takes $3 \cdot 20 \cdot 5$ multiplications and results in a 3×5 matrix.
- Computing $A_i \cdot A_{i+1}$ takes $p_{i-1} \cdot p_i \cdot p_{i+1}$ multiplications and results in a $p_{i-1} \times p_{i+1}$ matrix.

Matrix-chain multiplication example (continued)

$$p_0=3 \left\{ \underbrace{\boxed{A_1}}_{p_1=20} \cdot \underbrace{\boxed{A_2}}_{p_2=5} \right\}^{20} \cdot \underbrace{\boxed{A_3}}_{p_3=8} \right\}^5$$

- Computing $(A_1 \cdot A_2) \cdot A_3$ takes $3 \cdot 20 \cdot 5 + 3 \cdot 5 \cdot 8 = 300 + 120 = 420$ multiplications
- Computing $A_1 \cdot (A_2 \cdot A_3)$ takes $20 \cdot 5 \cdot 8 + 3 \cdot 20 \cdot 8 = 800 + 480 = 1280$ multiplications

Matrix-chain multiplication

Given: A sequence/chain of n matrices

A_1, A_2, \dots, A_n , where A_i is a $p_{i-1} \times p_i$ matrix

Task: Compute their product $A_1 \cdot A_2 \cdot \dots \cdot A_n$
using the minimum number of scalar
multiplications.

⇒ Find a parenthesization that minimizes
the number of multiplications

Would greedy work?

- Parenthesizing like this $(\dots((A_1 \cdot A_2) \cdot A_3) \dots \cdot A_n)$ does not work (e.g., reverse our running example).

⇒ Try dynamic programming

1) Optimal substructure

Let $A_{i,j} = A_i \cdot \dots \cdot A_j$ for $i \leq j$

- Consider an optimal parenthesization for $A_{i,j}$. Assume it splits it at k , so

$$A_{i,j} = (A_i \cdot \dots \cdot A_k) \cdot (A_{k+1} \dots \cdot A_j)$$

- Then, the par. of the prefix $A_i \cdot \dots \cdot A_k$ within the optimal par. of $A_{i,j}$ must be an optimal par. of $A_{i,k}$. (Assume it is not optimal, then there exists a better par. for $A_{i,k}$. **Cut and paste** this par. into the par. for $A_{i,j}$. This yields a better par. for $A_{i,j}$. Contradiction.)

2) Recursive solution

- a) First compute the minimum number of multiplications
- b) Then compute the actual parenthesization

We will concentrate on solving a) now.

2) Recursive solution (cont.)

$m[i,j]$ = minimum number of scalar multiplications to compute A_{ij}


Goal: Compute $m[1,n]$

$$A_{i,j} = \underbrace{(A_i \cdot \dots \cdot A_k)}_{p_{i-1} \times p_k} \cdot \underbrace{(A_{k+1} \cdot \dots \cdot A_j)}_{p_k \times p_j}$$

Recurrence:

- $m[i,i] = 0$ for $i=1,2,\dots,n$
- $m[i,j] = \min_{i \leq k < j} (m[i,k] + m[k+1,j] + p_{i-1} p_k p_j)$

Recursion tree



- The runtime of the straight-forward recursive algorithm is $\Omega(2^n)$
- But only $\Theta(n^2)$ different subproblems !

Dynamic programming

MATRIX_CHAIN_DP(p, n):

for $i:=1$ **to** n **do** $m[i,i]=0$

for $l:=2$ **to** n **do** // l is length of chain

for $i:=1$ **to** $n-l+1$ **do**

$j:=i+l-1$

$m[i,j]=\infty$

for $k:=i$ **to** $j-1$ **do**

$q:=m[i,k]+m[k+1,j]+p_{i-1} \cdot p_k \cdot p_j$

if $q < m[i,j]$ **then**

$m[i,j]=q$

$s[i,j]:=k$ //index that optimizes $m[i,j]$

return m **and** s ;

Dynamic programming

- Use dynamic programming to fill the 2-dimensional $m[i,j]$ -table
- Bottom-up: Diagonal by diagonal
- For the construction of the optimal parenthesization, use an additional array $s[i,j]$ that records that value of k for which the minimum is attained and stored in $m[i,j]$
- $O(n^3)$ runtime ($n \times n$ table, $O(n)$ min-computation per entry), $O(n^2)$ space
- $m[1,n]$ is the desired value

Construction of an optimal parenthesization

```
PRINT_PARENS( $s, i, j$ ) // initial call: print_parens( $s, 1, n$ )
if  $i=j$  then print "A" $i$ 
else print "("
    PRINT_PARENS( $s, i, s[i, j]$ )
    print ")" · "("
    PRINT_PARENS( $s, s[i, j]+1, j$ )
    print ")"
```

Runtime: Recursion tree = binary tree with n leaves. Spend $O(1)$ per node. $O(n)$ total runtime.